Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 2053578752 CLASSIFICATION: 12 20 00 Window Treatments

PRODUCT DESCRIPTION: Included in this HPD is the window shade fabric only. All assembly and system parts are excluded and appear in a separate HPD. This fabric can be used in roller shades and panel track applications to minimize the negative effects of the sun while preserving outward visibility. 3000HT solar screen fabrics have an openness factor of 3% or 5% with a thickness of 0.024 in +/-5% or 0.026 in +/-5% respectively.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 9 of 9 Materials

Explanation(s) provided for Residuals/Impurities?

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

PVC [POLYVINYL CHLORIDE LT-P1 | MAM] POLYETHYLENE TEPHTHALATE [POLYETHYLENE TEREPHTHALATE LT-P1 ANTIMONY TRIOXIDE BM-1 | MUL | CAN | SKI | EYE | MAM | AQU] PLASTICIZER [UNDISCLOSED BM-3dq | ADDITIVE [UNDISCLOSED BM-3 | EYE] U.V STABILIZER [UNDISCLOSED LT-UNK | AQU] FLAME RETARDANT [UNDISCLOSED BM-1 | MUL | CAN | SKI | EYE | MAM | AQU] PIGMENT 1 [UNDISCLOSED BM-1 | CAN | END | MAM] ANTIMICROBIAL [UNDISCLOSED BM-1 | REP | MUL | MAM | AQU | EYE | DEV | SKI]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD is reporting substances to 100 ppm for this product 3000 HT. Residuals and impurities were screened using the toxnet and Pharos databases. This database is a general database and lists possible residuals and impurities for chemicals and substances as reported in peerreviewed studies or other credible documentation. Just because a chemical could have the impurity listed in the database does not mean that this material contains that impurity. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? Yes

VERIFIER:

PREPARER: Self-Prepared

SCREENING DATE: 2024-05-23 PUBLISHED DATE: 2024-06-10

3000 HT Fabric by Texstyle

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PVC %: 36.0000 - 42.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES: This is a main ingredient.

POLYVINYL CHLORIDE				ID: 9002-86-
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-05-23 9:29:4	
%: 100.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan	GHS - Japan		e respiratory irritation [Specific target ngle exposure - Category 3]
MAM	GHS - Japan		repeated exposur	amage to organs through prolonged or e [Specific target organs/systemic toxicity d exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precaution	nary List
			Precautionary list avoidance	of substances recommended for
RESTRICTED LIST	Cradle to Cradle Products Innovati (C2CPII)	on Institute	C2C Certified v4 I List (RSL) - Effect	Product Standard Restricted Substances tive July 1, 2022
			Core Restrictions	
RESTRICTED LIST	International Living Future Institute	(ILFI)	Living Building Ch Chemicals - Effec	nallenge 4.0 - Red List of Materials & tive April 1, 2024
			Red List substand V4.0 projects	ces to avoid in Living Building Challenge

SUBSTANCE NOTES: "The PVC manufacturing processes also generate a large number of highly toxic PBTs, including polychlorinated biphenyls (PCBs) and hexachlorobenzene (HCB). PCBs and HCB are known carcinogens, endocrine disruptors and developmental toxicants targeted for elimination by the Stockholm convention."

For more information visit: https://informed.habitablefuture.org/files/resilient-flooring-chemical-hazards-a-comparative-analysis-of-vinyl-and-otheralternatives-for-health-care.pdf

POLYETHYLENE TEPHTHALATE %: 20.0000 - 30.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES: This is a base material.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD TYPE LIST NAME AND SOURCE HAZARD TYPE

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Residuals/impurities are quantitively measured and noted in this HPD when greater than or equal to 100 ppm.

ANTIMONY TRIOXIDE ID: 1309-64-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-23 9:29:45			
%: 0.0100 - 0.0300	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residual	
HAZARD TYPE	LIST NAME AND SOURCE	LIST NAME AND SOURCE			
MUL	ChemSec - SIN List		CMR - Carcino	ogen, Mutagen &/or Reproductive Toxicant	
CAN	CA EPA - Prop 65		Carcinogen		
CAN	IARC		Group 2b - Pos	ssibly carcinogenic to humans	
CAN	MAK		Carcinogen Gr man	roup 2 - Considered to be carcinogenic for	
CAN	US NIH - Report on Carcino	gens	Reasonably A	nticipated to be Human Carcinogen	
CAN	IARC		Group 2a - Ago	ent is probably Carcinogenic to humans	
CAN	GHS - Japan		H350 - May ca	use cancer [Carcinogenicity - Category 1B]	
CAN	EU - GHS (H-Statements) A	nnex 6 Table 3-1	H351 - Suspec Category 2]	cted of causing cancer [Carcinogenicity -	
SKI	GHS - New Zealand		Skin irritation of	category 2	
EYE	GHS - New Zealand		Eye irritation c	ategory 2	
CAN	GHS - New Zealand	GHS - New Zealand		Carcinogenicity category 2	
MAM	GHS - Japan		repeated expo	s damage to organs through prolonged or sure [Specific target organs/systemic toxicity ated exposure - Category 1]	
MAM	GHS - New Zealand		Specific target	organ toxicity - repeated exposure category	
CAN	EU - Annex VI CMRs		Carcinogen Ca	ategory 2 - Suspected human Carcinogen	
MAM	GHS - Japan		-	use damage to organs [Specific target ic toxicity following single exposure -	
SKI	GHS - Korea	GHS - Korea		s severe skin burns and eye damage [Skin tion - Category 1]	
AQU	GHS - Korea	GHS - Korea		o aquatic life with long lasting effects the aquatic environment (chronic) -	
CAN	GHS - Australia	GHS - Australia		cted of causing cancer [Carcinogenicity -	
CAN	GHS - Korea		H351 - Suspec Category 2]	cted of causing cancer [Carcinogenicity -	

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: "Residual molecular antimony (Sb) catalyst materials can migrate into food or water and be a potential contaminant from PET packaging materials. Sb was established as catalyst of choice because it has some favourable properties, e.g. it gives bright, shiny polymers. There are two other main catalysts for PET: germanium oxide and titanium compounds (Thiele 2001)." - Per Pharos database.

PLASTICIZER %: 15.0000 - 25.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES: Percentages are shown as a range to maintain confidentiality.

UNDISCLOSED	ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD	SCREENING DATE: 2024-05-23 9:29:45
%: 98.0000	GreenScreen: BM-3dg	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No wa	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTING	S LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute	e (GSPI)	GSPI - Six Class	es Precautionary List
			Some Solvents	

SUBSTANCE NOTES: Minor impurities (present at <2%) include 2-ethylhexyl methyl terephthalate (CAS Registry No.: 63468-13-3)." (SIDS) -Per Pharos database.

ADDITIVE %: 4.0000 - 8.0000

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Geologically Derived ppm Material

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES: Improves physical and chemical properties of the fabric.

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Ph	aros Chemical and Materials Library		HA	AZARD SCREENING DATE: 2024-05-23 9:29:45
%: 99.0000 - 100.0000	GreenScreen: BM-3	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additive
HAZARD TYPE	LIST NAME AND SOURCE		WARNING	GS
EYE	GHS - New Zealand		Eye irritati	on category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICA	ATION
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This substance is identified on the U.S EPA Safer Chemical Ingredients List.

U.V STABILIZER %: 3.0000 - 7.0000

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes ppm

compound

MATERIAL TYPE: Other: Organic

3000 HT Fabric by Texstyle

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES:

UNDISCLOSED ID: Undisclosed					
HAZARD DATA SOURCE: P	haros Chemical and Materials Library		HAZA	RD SCREENING DATE:	2024-05-23 9:29:45
%: 100.0000 Gre	enScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: H	eat or UV stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
AQU	GHS - New Zealand		Hazardous to	the aquatic environment	- acute category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
RESTRICTED LIST	Cradle to Cradle Products Innovatio (C2CPII)	n Institute		v4 Product Standard Res ffective July 1, 2022	stricted Substances
			Biological and	d Environmentally Release	ed Materials
RESTRICTED LIST	Cradle to Cradle Products Innovatio (C2CPII)	n Institute		v4 Product Standard Res ffective July 1, 2022	stricted Substances
			Children's Pro	oducts	

FLAME RETARDANT	%: 3.0000 - 6.0000

RESIDUALS AND IMPURITIES EVALUATION COMPLETED:

MATERIAL TYPE: Other: Inorganic Yes ppm

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

compound

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES:

PRODUCT THRESHOLD: 100

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Libra	iry	HAZAR	D SCREENING DATE: 2024-05-23 9:29:45
%: 99.0000 - 100.0000	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
AQU	GHS - Korea	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Korea	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: The primary effects from chronic exposure to antimony in humans are respiratory effects that include antimony pneumoconiosis (inflammation of the lungs due to irritation caused by the inhalation of dust), alterations in pulmonary function, chronic bronchitis, chronic emphysema, inactive tuberculosis, pleural adhesions, and irritation. (U.S EPA)

PIGMENT 1	%: 0.7000 - 2.0000	
PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES: This is a pigment.

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE	Pharos Chemical and Materials Library		HAZARD SCR	REENING DATE: 2024-05-23 9:29:45
%: 99.0000	GreenScreen: BM-1	RC: UNK	NANO: Unknown	SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**	
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**	
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**	
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**	
CAN	IARC	Group 2b - Possibly carcinogenic to humans**	
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**	
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**	
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Formulated Consumer Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Cosmetics & Personal Care Products	
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)	

SUBSTANCE NOTES: Natural rutile, anatase and brookite contain impurities of up to ≈2% that include iron, chromium, vanadium, aluminium, niobium, tantalum, hafnium and zirconium. (IARC)

ANTIMICROBIAL

%: 0.1000 - 1.0000

^{**}Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Other: Organic compound

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES:

UNDISCLOSED		ID: Undisclosed		
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-05-23 9:29:4		
%: 100.0000	GreenScreen: BM-1 RC: UNK	NANO: No SUBSTANCE ROLE: Antimicrobial Pesticio		
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]		
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H360D - May damage the unborn child [Reproductive toxicity - Category 1A or 1B]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicit following repeated exposure - Category 1]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage eye irritation - Category 1]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]		

AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]	
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]	
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]	
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]	
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]	
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List	
		Precautionary list of substances recommended for avoidance	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List	
		Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Biological and Environmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Children's Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
		Formulated Consumer Products	
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	

SUBSTANCE NOTES: No residuals/impurities are expected to be present at or above 100 ppm.

PIGMENT 2

%: 0.0000 - 1.0000 ALTERNATE

PRODUCT THRESHOLD: 100 RESIDUALS AND IMPURITIES EVALUATION COMPLETED: MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

OTHER MATERIAL NOTES: This is a pigment and based on the fabric's color it is a "may contain."

SUBSTANCE NOTES: This product might contain this pigment, depending on the color specific to the fabric.

ALTERNATE: This substance is an alternate substance to C.I. Pigment Yellow 83.

ALTERNATE: This nested material is an alternate nested material to Pigment 1.

UNDISCLOSED					ID: Undisclosed
HAZARD DATA SOURCE:	AZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-05-23 9:29:46		
%: 100.0000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE RO	DLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
EYE	GHS - New Zealand		Eye irritation cate	gory 2	
AQU	GHS - New Zealand		Hazardous to the	aquatic environment	- chronic category 3
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products In (C2CPII)	novation Institute	C2C Certified v4 List (RSL) - Effect	Product Standard Restive July 1, 2022	stricted Substances
			Core Restrictions		

UNDISCLOSED				ID: Undisclosed
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2024-05-23 9:29:46
%: 100.0000 ALT	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	rnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	o listings found on Additional Hazard Lists

UNDISCLOSED				ID: Undisclosed	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-05-23 9:29:46		
%: 99.0000 ALT	GreenScreen: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**	
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**	
CAN	IARC	Group 2b - Possibly carcinogenic to humans**	
EYE	GHS - New Zealand	Eye irritation category 2**	
CAN	GHS - New Zealand	Carcinogenicity category 2**	
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**	
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**	
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION	
None found		No listings found on Additional Hazard Lists	

SUBSTANCE NOTES: This product might contain this pigment, depending on the color specific to the fabric.

ALTERNATE: This substance is an alternate substance to C.I. Pigment Yellow 83.

^{**}Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party

ISSUE DATE: 2012-12-22 00:00:00

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: This is not facility specific

CERTIFICATE URL:

EXPIRY DATE:

CERTIFICATION AND COMPLIANCE NOTES: Certificate # 75170-420



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

CONTRACT SERIES TWO SHADING SYSTEM

MANUFACTURER (OR GENERIC): Rollease Acmeda

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/430_Rollease_Acmeda_Contract_Series_Two_Shading_System.pdf ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This is the shading system.

Section 5: General Notes

This inventory is reported to 100 ppm with possible residuals and impurities noted. This HPD is reporting substances to 100 ppm for this product 3000 HT. Residuals and impurities were screened using the toxnet and Pharos databases. This database is a general database and lists possible residuals and impurities for chemicals and substances as reported in peer-reviewed studies or other credible documentation. Just because a chemical could have the impurity listed in the database does not mean that this material contains that impurity. Actual impurities are a product of the sourced product and its suppliers. Residuals and impurities listed in the HPD are for information purposes only and are not 100% guaranteed to be present in the fabric.

MANUFACTURER INFORMATION

MANUFACTURER: Rollease Acmeda

ADDRESS: 200 Harvard Ave

Stamford, CT 06902 COUNTRY: USA WEBSITE: http://www.rolleaseacmeda.com/us/home

CONTACT NAME: Lindsey DeSalvo TITLE: Product Manager-Fabric

PHONE: 203-590-5259

EMAIL: lindsey.desalvo@rolleaseacmeda.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

